


Plastic Test Table 0.8x0.8-R

Technical data:

Table top diameter	0.8 m
Height	0.8 m
Load capability	100 kg
Material structure	Rohacell
Dielectric constant ϵ at 1 MHz	1.05
Material table top (removable)	Pertinax
with a grid of 100 mm x 100 mm	t = 2 mm
Holes for cable access available	
Temperature working range	10°C – 35°C
Total weight	7 kg

Brief description

The Plastic Test Table PTT is especially designed as freestanding test table for installation on top of a turntable in electromagnetic absorption chambers. The table is fabricated from non-conductive material with a very low dielectric constant ϵ_r .



Information presented enclosed is subject to change as product enhancements are made regularly. Pictures included are for illustration purposes only and do not represent all possible configurations.

